



# Safety Data Sheet

Product identifier used on the label: Ridgeline EP Lithium Complex 3% Moly Grease

Stock Number: RIDMLYGRS

Date: 04-26-2021

## 1. Identification

Product identifier used on the label: Ridgeline EP Lithium Complex 3% Moly Grease

Stock Number: RIDMLYGRS

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Grease

Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Parkland Corporation  
1800, 240 4 Ave SW, Calgary, AB, T2P 4H4

Phone number: +1-403-567-2500

E-mail address: [Ridgeline.information@parklandusa.com](mailto:Ridgeline.information@parklandusa.com)

Emergency phone number: +1-403-357-6400

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

## 3. Composition/information on ingredients

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Petroleum distillates, solvent dewaxed	(CAS No) 64742-65-0	60 - 75, 70 - 85	Not Classified
Lithium Hydroxide, Monohydrate	(CAS No) 310-66-3	<2	H314: Skin Corr, 1B H302: Acute Toxicity, 4
Sebacic Acid	(CAS No) 111-20-6	<3	Not Classified
12-Hydroxystearic Acid	(CAS No) 106-14-9	5 - 15	Not Classified

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

---

## 4. First-aid measures

**Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion**

**Inhalation:**

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

**Eye Contact:**

None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.

**Skin Contact:**

Wash with soap and water. Get medical attention if irritation develops or persists.

**Ingestion:**

No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

**Most important symptoms/effects, acute and delayed:**

No data available

**Indication of immediate medical attention and special treatment needed, if necessary:**

No additional first aid information available.

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

**Suitable extinguishing media:**

**Unsuitable extinguishing media:**

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**Specific hazards arising from the chemical:**

Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

**Hazardous combustion products:**

Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases

**Special protective equipment and precautions for fire-fighters:**

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

**Methods and materials for containment and cleaning up:**

Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

## 7. Handling and Storage

**Precautions for safe handling:**

Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.

**Conditions for safe storage, including any incompatibilities:**

**Safe storage conditions:**

Store in a cool dry place. Isolate from incompatible materials.

**Materials to Avoid/Chemical Incompatibility:**

Strong oxidizing agents

## 8. Exposure controls/personal protection

**OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:**

Mineral Oils		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable fraction)
USA ACGIH	ACGIH STEL	10 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable fraction)
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Canada	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Canada	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

**Appropriate engineering controls:**

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

**Individual protection measures, such as personal protective equipment:**

**Respiratory Protection:**

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):**

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

---

<b>Eye protection:</b>	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
<b>Skin protection:</b>	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
<b>Gloves:</b>	Neoprene, Nitrile

## 9. Physical and chemical properties

<b>Physical state:</b>	Semi-Solid At Room Temperature
<b>Color:</b>	Varies by Grade
<b>Odor:</b>	Slight Hydrocarbon
<b>Odor Threshold:</b>	No data available
<b>pH:</b>	No data available
<b>Melting point/freezing point:</b>	No data available
<b>Melting Point:</b>	No data available
<b>Freezing point:</b>	No data available
<b>Initial boiling point and boiling range (°C):</b>	No data available
<b>Flash Point (°C):</b>	Typical 150 °C (COC) (350°C/662°F)
<b>Evaporation Rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper/lower flammability or explosive limits:</b>	
<b>Upper flammability or explosive limits:</b>	No data available
<b>Lower flammability or explosive limits:</b>	No data available
<b>Vapor pressure:</b>	No data available
<b>Vapor density:</b>	No data available
<b>Solubility(ies):</b>	Negligible
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Auto-ignition temperature:</b>	No data available
<b>Decomposition Temperature:</b>	Not determined
<b>Viscosity:</b>	No data available

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

## 10. Stability and reactivity

<b>Reactivity:</b>	There are no known reactivity hazards associated with this product.
<b>Chemical stability:</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	None expected under standard conditions of storage.
<b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b>	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
<b>Incompatible materials:</b>	Strong oxidizing agents

## 11. Toxicological information

**Description of the various toxicological (health) effects and the available data used to identify those effects:**

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Skin contact, Inhalation, Ingestion, Eye contact

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available

**Delayed and immediate effects and chronic effects from short- and long-term exposure:**

<b>Ingestion:</b>	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
<b>Skin Contact:</b>	Likely to be non-irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.
<b>Absorption:</b>	Estimated to be > 5.0 g/kg; practically non-toxic
<b>Inhalation:</b>	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
<b>Eye Contact:</b>	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.
<b>Sensitization:</b>	Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.
<b>Mutagenicity:</b>	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
<b>Carcinogenicity:</b>	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
<b>STOT-single exposure:</b>	Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard:</b>	Based on available data, the classification criteria are not met.

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

---

**Other information:** None known.

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components that are known or reported to cause cancer.			

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

**Persistence and degradability:** Not available

**Bio accumulative potential:** Not available

**Mobility in soil:** Not available

**Other adverse effects (such as hazardous to the ozone layer):** None known

## 13. Disposal Considerations

**Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:** Spent or discarded material is non-hazardous according to environmental regulations.

**Contaminated packaging:** Recycle containers whenever possible.

## 14. Transport Information

**Carriage of dangerous goods by road (DOT), rail or inland waterways:**

**DOT Basic Description:** Not regulated for road transport

**International carriage of dangerous goods by sea (IMDG/IMO):**

**UN number:** Not regulated by IMDG

**UN Proper shipping name:** Not applicable

**Transport hazard class(es):** Not applicable

**Packing group, if applicable:** Not applicable

**International carriage of dangerous goods by air (IATA):**

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline EP Lithium Complex 3% Moly Grease

**Stock Number:** RIDMLYGRS

**Date:** 04-26-2021

---

<b>UN number:</b>	Not regulated by IATA
<b>UN Proper shipping name:</b>	Not applicable
<b>Transport hazard class(es):</b>	Not applicable
<b>Packing group, if applicable:</b>	Not applicable
<b>Environmental hazards (e.g., Marine pollutant (Yes/No)):</b>	None.
<b>Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):</b>	No data available
<b>Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:</b>	No data available

## 15. Regulatory Information

**Safety, health and environmental regulations specific for the product in question:**

<b>SARA Section 311/312 Hazard Classes</b>	Not classified
<b>US State Regulations:</b>	Not classified
<b>Canadian Regulations:</b>	Not classified

## 16. Other Information, including date of revision or last preparation

<b>Revision Date:</b>	04-26-2021
<b>Revision Number:</b>	-
<b>Reason for revision:</b>	-
<b>References:</b>	No data available
<b>Other Info:</b>	No data available

**Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.